United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

		· · · · · · · · · · · · · · · · · · ·		
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/622,224	07/18/2003	Steven J. Iseberg	10841US07	4645
	7590 07/27/200 S HELD & MALLOY,	EXAMINER		
500 WEST MADISON STREET			LE, HUYEN D	
	SUITE 3400 CHICAGO, IL 60661			PAPER NUMBER
,		·	2615	
		•		
			MAIL DATE	DELIVERY MODE
			07/27/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/622,224	ISEBERG ET AL.				
Office Action Summary	Examiner	Art Unit				
	HUYEN D. LE	2615				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDON	DN. timely filed m the mailing date of this communication. IED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on <u>07 M</u>	<u>1ay 2007</u> .					
· <u> </u>	, 					
3) Since this application is in condition for allowa						
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11,	453 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>59-73 and 75</u> is/are pending in the ap	oplication.					
4a) Of the above claim(s) is/are withdra	wn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>59-73 and 75</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	or election requirement.					
Application Papers						
9) The specification is objected to by the Examine	er.					
10) ☐ The drawing(s) filed on is/are: a) ☐ acc	epted or b) objected to by the	e Examiner.				
Applicant may not request that any objection to the	drawing(s) be held in abeyance. S	ee 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correct	tion is required if the drawing(s) is o	objected to. See 37 CFR 1.121(d).				
11) The oath or declaration is objected to by the Ex	xaminer. Note the attached Office	ce Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of:		a)-(d) or (f).				
1. Certified copies of the priority document		Para Ma				
2. Certified copies of the priority document3. Copies of the certified copies of the priority						
application from the International Burea	·	ved in this National Stage				
* See the attached detailed Office action for a list	, , , ,	ved.				
Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)					
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date		Patent Application				

DETAILED ACTION

Reissue Applications

1. The reissue oath/declaration filed with this application is defective (see 37 CFR 1.175 and MPEP § 1414) because of the following:

The declaration fails to identify at least one error which is relied upon to support the reissue application. See 37 CFR 1.175(a)(1) and MPEP § 1414. The Declaration filed 07/27/05 is defective because it fails to identify at least one error being relied upon as a basis for the reissue. Specific changes or amendments to the claims must be identified. If new claims are presented, their differences from the original claims must be pointed out.

The declaration filed on 07/18/2003 shows that the specification of the reissue application was filed on January 21, 2000 as United States Reissue Application Number 09/489,441.

However, the declaration filed on 07/27/2005 indicates that the specification of the reissue application was filed on July 18, 2003 as United States Reissue Application Serial Number 10/622,224. The Applicant is required to clarify the Application Number for the specification of the reissue application.

2. In accordance with 37 CFR 1.175(b)(1), a supplemental reissue oath/declaration under 37 CFR 1.175(b)(1) must be received before this reissue application can be allowed.

Claims 59-73 and 75 are rejected as being based upon a defective reissue application under 35 U.S.C. 251. See 37 CFR 1.175. The nature of the defect is set forth above.

Application/Control Number: 10/622,224 Page 3

Art Unit: 2615

Receipt of an appropriate supplemental oath/declaration under 37 CFR 1.175(b)(1) will overcome this rejection under 35 U.S.C. 251. An example of acceptable language to be used in the supplemental oath/declaration is as follows:

"Every error in the patent which was corrected in the present reissue application, and is not covered by a prior oath/declaration submitted in this application, arose without any deceptive intention on the part of the applicant."

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 59, 67-68, 73 and 75, as broadly claimed, are rejected under 35 U.S.C. 102(b) as being anticipated by Kelsey (U.S. patent 2,430,229).

Regarding claims 59 and 73, as broadly claimed, Kelsey teaches an insert earphone that comprises a housing (13, 13A, 13B, 13C, 13D) having a hollow tubular portion (figure 5), a receiver (15), a resilient sealing member (10, 10A, 10B, 10C, 10D) as claimed (figure 11). The insert earphone extends into and substantially acoustically sealing the ear canal of the wearer as claimed (figure 11 and see page 3, lines 40-49).

As shown in the drawings, the earphone of Kelsey does not require a long flexible tube between the hollow tubular portion of the housing and the resilient sealing member.

Since Kelsey includes all the limitations of the insert earphone, the earphone of Kelsey has the characteristics such as a high fidelity response as claimed in claim 59.

Application/Control Number: 10/622,224

Art Unit: 2615

Regarding claims 67-68, Kelsey shows the resilient sealing member (10) as claimed (figures 1 and 5).

Regarding claim 75, Kelsey teaches the receiver (15) that delivers the sound to the hollow tubular portion as claimed.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later

invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 59, 67, 68, 73 and 75, as interpreted in a different manner, are rejected under 35 U.S.C. 103(a) as being unpatentable over Kelsey (U.S. patent 2,430,229) in view of Killion (4,677,679).

Regarding claims 59 and 73, as interpreted in a different manner, Kelsey teaches an insert earphone that comprises a housing (13, 13A, 13B, 13C, 13D) having a hollow tubular portion (figure 5), a receiver (15), a resilient sealing member (10, 10A, 10B, 10C, 10D) as claimed (figure 11). The insert earphone extends into and substantially acoustically sealing the ear canal of the wearer as claimed (figure 11 and see page 3, lines 40-49).

As shown in the drawings, the earphone of Kelsey does not require a long flexible tube between the hollow tubular portion of the housing and the resilient sealing member.

Kelsey does not specifically teach that the earphone provides a high fidelity response as claimed. However, connecting a hearing aid to any communication system such as a high fidelity system or connecting a hearing aid to a circuitry or an amplifier for providing an output signal with relatively high fidelity is known in the art.

Killion teaches a network circuit (40, 40a, 40a', 40b) to be connected to a receiver (21) for providing a high-fidelity response (col. 3, lines 42-50 and col. 6, lines 44-56).

Therefore, it would have been obvious to one skilled in the art to provide the network circuit or the filter, as taught by Killion, to be connected to the receiver of Kelsey for a more accurate frequency response or a high-fidelity frequency response.

Regarding claims 67-68, Kelsey shows the resilient sealing member (10) as claimed (figures 1 and 5).

Regarding claim 75, Kelsey teaches the receiver (15) that delivers the sound to the hollow tubular portion as claimed.

7. Claims 59-68, 73 and 75, as broadly claimed, are rejected under 35 U.S.C. 103(a) as being unpatentable over Miyahra et al. (U.S. patent 4,447,677).

Regarding claims 59 and 73, as broadly claimed, Miyahra teaches an insert earphone that comprises a housing (3, 12) having a hollow tubular portion (figure 1), a receiver (1), a sealing member (11) as claimed (figure 11). Miyahra does not specifically teach that the sealing member is a resilient material as claimed.

However, providing the earplug made of resilient material is known in the art.

Therefore, it would have been obvious to one skilled in the art to provide the earplug (11) of Miyahra device to be made of a resilient material for providing a better sealing to the ear canal of the wearer.

As shown in the drawings, the earphone of Miyahra does not require a long flexible tube between the hollow elongated tubular portion of the housing and the resilient sealing member.

Since Miyahra includes all the limitations of the insert earphone, the earphone of Miyahra has the characteristics such as a high fidelity response as claimed in claim 59.

Regarding claims 60-63, Miyahra et al. teaches a resilient material (57) as claimed (figure 1 and see col. 4, lines 33-37).

Regarding claim 64, Miyahra shows the receiver (1) that is supported within the housing (3) as claimed (figure 1).

Regarding claim 65, Miyahra shows the receiver that is supported within the housing and has a sound outlet port (54, 55) extending partially into the hollow tubular portion (12) of the housing (figure 1).

Regarding claim 66, as broadly claimed, the sound outlet port (55) extending partially into the hollow tubular portion (12) of the housing (figure 1) directly contacts a surface of the hollow tubular portion (12).

Regarding claim 67, Miyahra shows a resilient sealing member (11) that has one projecting flange portion.

Regarding claim 68, Miyahra does not show a plurality of projecting flange portions as claimed. However, the examiner takes the Office Notice that providing a plurality of flange portions for the earplug or the sealing member is known in the art.

Therefore, it would have been obvious to one skilled in the art to provide a plurality of flange portions for the earplug (11) of Miyahra for providing a better sealing and holding the device to the ear canal of the wearer.

Regarding claim 75, Miyahra teaches the receiver (1) that delivers the sound to the hollow tubular portion as claimed.

8. Claims 59-68, 73 and 75, as interpreted in a different manner, are rejected under 35 U.S.C. 103(a) as being unpatentable over Miyahra et al. (U.S. patent 4,447,677) in view of Killion (4,677,679).

Regarding claims 59 and 73, as interpreted in a different manner, Miyahra teaches an insert earphone that comprises a housing (3, 12) having a hollow tubular portion (figure 1), a receiver (1), a sealing member (11) as claimed (figure 11). Miyahra does not specifically teach that the sealing member is a resilient material as claimed.

However, providing the earplug made of resilient material is known in the art.

Therefore, it would have been obvious to one skilled in the art to provide the earplug (11) of Miyahra device to be made of a resilient material for providing a better sealing to the ear canal of the wearer.

As shown in the drawings, the earphone of Miyahra does not require a long flexible tube between the hollow elongated tubular portion of the housing and the resilient sealing member.

Miyahra does not specifically disclose that the earphone provides a high fidelity response as claimed. However, connecting a hearing aid to any communication system such as a high fidelity system or connecting a hearing aid to a circuitry or an amplifier for providing an output signal with relatively high fidelity is known in the art.

Killion teaches a network circuit (40, 40a, 40a', 40b) to be connected to a receiver (21) for providing a high-fidelity response (col. 3, lines 42-50 and col. 6, lines 44-56).

Therefore, it would have been obvious to one skilled in the art to provide the network circuit or the filter, as taught by Killion, to be connected to the receiver of Miyahra for a more accurate frequency response or a high-fidelity frequency response.

Regarding claims 60-63, Miyahra et al. teaches a resilient material (57) as claimed (figure 1 and see col. 4, lines 33-37).

Regarding claim 64, Miyahra shows the receiver (1) that is supported within the housing (3) as claimed (figure 1).

Regarding claim 65, Miyahra shows the receiver that is supported within the housing and has a sound outlet port (54, 55) extending partially into the hollow tubular portion (12) of the housing (figure 1).

Regarding claim 66, as broadly claimed, the sound outlet port (55) extending partially into the hollow tubular portion (12) of the housing (figure 1) directly contacts a surface of the hollow tubular portion (12).

Regarding claim 67, Miyahra shows a resilient sealing member (11) that has one projecting flange portion.

Regarding claim 68, Miyahra does not show a plurality of projecting flange portions as claimed. However, the examiner takes the Office Notice that providing a plurality of flange portions for the earplug or the sealing member is known in the art.

Therefore, it would have been obvious to one skilled in the art to provide a plurality of flange portions for the earplug (11) of Miyahra for providing a better sealing and holding the device to the ear canal of the wearer.

Regarding claim 75, Miyahra teaches the receiver (1) that delivers the sound to the hollow tubular portion as claimed.

9. Claims 69-72 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kelsey (U.S. patent 2,430,229) or Miyahra et al. (U.S. patent 4,447,677) in view of Killion (U.S. patent 4,677,679).

Application/Control Number: 10/622,224

Art Unit: 2615

Regarding claims 69-70, Kelsey or Miyahra does not teach a filter as claimed. However, it is very well known in the art to provide a filter for improving the quality sound of the hearing aid device.

Killion teaches a network circuit (40, 40a, 40a', 40b) to be connected to a receiver (21) for providing a high-fidelity response (col. 3, lines 42-50 and col. 6, lines 44-56).

Therefore, it would have been obvious to one skilled in the art to provide the network circuit or the filter, as taught by Killion, to be connected to the receiver of Kelsey or Miyahra for modifying the frequency characteristics and providing high quality sound to the device.

Regarding claim 71-72, Kelsey or Miyahra in view of Killion do not specifically teach the location of the filter as claimed.

However, the examiner takes the Office Notice that providing a network circuit or a filter in the hearing aid housing or a pocket unit such as a junction unit external to the housing is known in the art.

Therefore, it would have been obvious to one skilled in the art to provide the network or the filter, as taught by Killion, in the housing or a junction unit of the Kelsey or Miyahra hearing aid device for greater flexibility.

Response to Arguments

10. Applicant's arguments filed 05/07/07 have been fully considered but they are not persuasive.

Responding to the arguments about the Kelsey reference, the Applicant should note that the Applicant does not specifically claim how the earphone is constructed for a high fidelity

response. As broadly claimed, the earphone of Kelsey provides a high fidelity response since the earphone of Kelsey is constructed and includes all the elements as claimed in claim 59.

Responding to the arguments about the Miyahra reference, the Applicant should note that the Applicant does not specifically claim how the earphone is constructed for a high fidelity response. As broadly claimed, the earphone of Miyahra provides a high fidelity response since the earphone of Miyahra is constructed and includes all the elements as claimed in claim 59.

Responding to the arguments about the Killion reference, the examiner has provided the Killion reference to connect the earphone of Kelsey and Miyahra to an amplifier circuit for more accurate frequency response. The examiner has not combined the Killion reference with the Kelsey and Miyahra for a construction of an earphone.

Responding to the arguments about "the earphone providing a high fidelity response without requiring a long flexible tube", the examiner has explained in detail in the Office Action. As mentioned in the Office Action, the earphone of Kelsey and Miyahra do not require a long flexible tube between the hollow tubular portion of the housing and the resilient member (see figures 5 and 11 in Kelsey and figure 1 in Miyahra). Further, as broadly claimed, Kelsey and Miyahra has the same construction of an earphone that comprises a housing, a receiver, and a resilient sealing member as claimed in claim 59, the earphone of Kelsey and Miyahra includes the characteristics such as a high fidelity response as claimed.

Conclusion

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 10/622,224

Art Unit: 2615

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Page 12

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to HUYEN D. LE whose telephone number is (571) 272-7502. The examiner can normally be reached on 9:30AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, SINH TRAN can be reached on (571) 272-7564. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

HL

July 22, 2007

HUYEN LE PRIMARY EXAMINER